

MINIAMP GMA100



Specifications

Version 1.1 May 2006



www.behringer.com





MINIAMP

Ultra-Compact Guitar Amplifier

- ▲ This amp gives you the classic guitar sound! Get ready for super-clean and killer distortion sounds
- ▲ Original vintage-design guitar speaker
- ▲ Dedicated Gain, Tone and Volume controls for ultimate sound shaping
- ▲ Features a headphone connector, a belt clip and a tilt stand
- ▲ Runs on 9 V battery or DC adaptor (not included)
- ▲ High-quality components and exceptionally rugged construction ensure a long life
- ▲ Conceived and designed by BEHRINGER Germany

GMA100



SPECIFICATIONS

INPUT

Type	1/4" TS connector (mono)
Impedance	approx. 500 k Ω

PHONES

Type	1/8" stereo connector
Impedance	min. 32 Ω
Max. output level	85 mW

LOUDSPEAKER

Size	3" (approx. 76 mm)
Impedance	4 Ω
Power rating	5 W

POWER

Power amp output	2 W @ 4 Ω load
Power supply	- External power supply: 9 V \equiv / min. 250 mA - Battery: 9 V [type: 61 LR 61 (IEC) or 1604D (ANSI)]

Mains voltages

USA/Canada	120 V~, 60 Hz
China/Korea	220 V~, 50 Hz
U.K./Australia	240 V~, 50 Hz
Europe	230 V~, 50 Hz
Japan	100 V~, 50 - 60 Hz
Power consumption	approx. 250 mA

DIMENSIONS/WEIGHT

Dimensions (H x W x D)	approx. 6" x 5" x 2 1/2" (approx. 155 mm x 130 mm x 65 mm)
Weight	approx. 1 lb. (approx. 0.5 kg)

BEHRINGER is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated.



Technical specifications and appearance subject to change without notice. The information contained herein is correct at the time of printing. The names of companies, institutions or publications pictured or mentioned and their respective logos are registered trademarks of their respective owners. Their use neither constitutes a claim of the trademarks by BEHRINGER nor affiliation of the trademark owners with BEHRINGER. BEHRINGER accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colours and specification may vary slightly from product. Products are sold through our authorised dealers only. Distributors and dealers are not agents of BEHRINGER and have absolutely no authority to bind BEHRINGER by any express or implied undertaking or representation. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of BEHRINGER Spezielle Studiotechnik GmbH. BEHRINGER® is a registered trademark.

ALL RIGHTS RESERVED. © 2006 BEHRINGER Spezielle Studiotechnik GmbH,
Hanns-Martin-Schleyer-Str. 36-38, 47877 Willich-Münchheide II, Germany.
Tel. +49 2154 9206 0, Fax +49 2154 9206 4903
